

**COMAR 10.17.01
PUBLIC SWIMMING POOL OR SPA
COMPLIANCE SCHEDULE APPLICATION**

Montgomery County Department of Health and Human Services
Licensure and Regulatory Services
255 Rockville Pike, Suite 100, Rockville, Maryland 20850
Phone 240-777-3986 Fax 240-777-3088
www.montgomerycountymd.gov

An owner of a public pool or spa that is not in compliance with the Maryland Public Pools and Spas Regulations may request approval from the DHMH to meet a regulation requirement at a future date provided that: 1. Operation of the pool or spa during the time allowed to bring the pool or spa into compliance does not adversely affect public health and safety; and 2. The pool or spa is otherwise in compliance with the regulations (COMAR 10.17.01.54).

1. Owner _____
Contact Person _____
Mailing Address _____ City _____ State _____ Zip _____
Phone # _____ Fax # _____ Email _____

2. Facility Location
Physical Address _____ City _____ State _____ Zip _____
Phone # _____ Fax # _____ Email _____

Specify which facility at the location is non compliant and for which you are requesting a compliance schedule.

Facility	Indoor	Outdoor	Comment	Facility	Indoor	Outdoor	Comment
Main Pool				Spa			
Wading Pool				Swim Spa			
Therapy Pool				Water Attraction			
Spray Pool				Other:			

3. Specify the COMAR 10.17.01 regulation that requires a compliance schedule:

COMAR 10.17.01.37

4. Specify why the requirement cannot be correctly immediately:

5. Explain interim measures in place that protect public health and safety:

6. Describe the corrective action:

Plans will be submitted to the Division of Community Services by September 15, 2012, to install (specify lift, sloped entry, etc.):

_____ Date of Compliance: March 15, 2013

7. The information provided is current and accurate:

X Owner's Signature Date Print Name

DHMH: Approved ☐
Denied ☐ Specify reason _____

X Sanitarian's Signature Date Print Name